Instructions - User Manual GENERATOR GC900





Millasur, SL.

Rúa Eduardo Pondal, nº 23 - Pol. Ind. Sigüeiro

15688 - Oroso - A Coruña - 981 696 465 - www.millasur.com



ANOVA thanks you for choosing one of our products and guarantees the assistance and cooperation that has always distinguished our brand over time.

This machine is designed to last for many years and to be very useful if used in accordance with the instructions contained in the user manual. We therefore recommend that you read this instruction manual carefully and follow all our recommendations.

For more information or questions, you can contact us through our web supports such as www.anova.es or www.millasur.com

INFORMATION ABOUT THIS MANUAL

Please pay attention to the information provided in this manual and on the appliance for your safety and that of others.

- This manual contains instructions for use and maintenance.
- Take this manual with you when you go to work with the machine.
- · Contents are correct at time of printing.
- The rights to make alterations are reserved at any time without affecting our legal responsibilities.
- This manual is considered an integral part of the product and should remain with it in the event of loan or resale.
- Ask your dealer for a new manual in case of loss or damage.

READ THIS MANUAL CAREFULLY BEFORE USING THE MACHINE



To ensure that your machine provides the best results, please read the usage and safety guidelines carefully before using it.

OTHER WARNINGS:

Incorrect use could cause damage to the machine or other objects.

Adapting the machine to new technical requirements could cause differences between the content of this manual and the product purchased.

Read and follow all instructions in this manual. Failure to follow these instructions could result in personal injury.

Important safety rules





WARNING

Please read this manual carefully.
Serious injury or death can result if the safety instructions are not followed.

Hazard Signal Word Definitions

	This is the safety alert symbol. It is used to alert you to		
	potential personal injury hazards. Obey all safety		
	messages that follow this symbol to avoid possible injury		
	or death.		
A	DANGER - Indicates an imminently hazardous situation		
DANGER	which, if not avoided, will result in death or serious injury.		
A	WARNING: indicates a potentially hazardous situation		
WARNING	which, if not avoided, could result in death or serious		
	injury.		
•	CAUTION: Indicates a potentially hazardous situation		
CAUTION	which, if not avoided, may result in minor or moderate		
	injury.		
	CAUTION: Used without the safety alert symbol indicates		
CAUTION	a potentially hazardous situation which, if not avoided,		
	may result in property damage.		

Index

- 1. Important safety rules
- 2. Technical data
- 3. Instructions for use
- 4. Maintenance and storage
- 5. Troubleshooting
- 6. Environment

1. Important safety rules



Read this manual completely.

Serious injury or death can result if the safety instructions are not followed. Everyone who operates the generator must read and fully understand all safety rules, operating instructions, and maintenance instructions, and maintenance instructions. Keep untrained people away.



Carbon Monoxide (CO) Hazard

Exhaust fumes are toxic, so do not use the generator indoors.



Fire danger

Fuel is highly flammable. Before refueling stop the engine, do not smoke while refueling, be careful not to spill fuel and never place the generator near flammable products.



Electricity Hazard

Do not use the generator in wet and humid areas, with unfavorable weather conditions and do not touch the machine with wet hands.



Risk of burns


The exhaust outlet and exhaust will become very hot, do not touch when in this state to avoid burns.


Note: Save these instructions

Caution

Always follow the safety information provided. Failure to follow can result in personal injury or serious engine damage.

Make sure the generator is grounded.





- 1. Fuel is highly flammable. Use the correct fuel. Wipe up all fuel spills with a clean cloth. Keep gasoline, kerosene, matches and others away from the generator.
- 2. The exhaust gas contains poisonous carbon monoxide CO. Never use the generator in a poorly ventilated area.
- 3. Do not touch the exhaust or exhaust cover while the engine is running or only when you are stopping it.
- 4. Do not touch the generator with wet hands.
- 5. Do not use the generator in a location exposed to rain, snow, or splashing water.
- 6. The generator must always be grounded.
- 7. Do not connect external equipment before starting the generator.
- 8. Read all safety and operating instructions carefully. Never allow anyone to use the generator without proper instructions.
- 9. Always wear protective clothing, eye protection, hearing protection, and protective footwear.

2. Technical data


z. reominear aata			
Voltage	220V		
Frequency	50HZ / 60HZ		
Power (continuous AC output)	650W / 800W		
Power (max AC output)	720W / 900W		
Motor	Single cylinder - 2 stroke - Air cooled		
Fuel	Unleaded petrol		
Lubrication system	Premixed (50:1)		
Start system	Recoil		
Fuel tank capacity	4.2 L		
Displacement	63 CC		
Autonomy	5.8 / 4.8 h		
Noise level	95 dB		


Note: The manufacturer reserves the right to make design improvements and / or specification changes at any time without incurring any obligation to install them on previously sold units.

3. Instructions for use


Pre-operation verification

- Fuel tank capacity: 4L
- Use gasoline mixed with oil
- Do not fill above the top of the fuel filter
- How to make mixed gasoline:
 Gasoline Oil Mix Ratio 50: 1
 Shake the fuel tank before starting





Fuel tank cap used to measure as:




Shake the fuel tank before starting

Engine start


Follow the instructions provided below. Before starting, do not connect the generator to general power.

- Turn the fuel lever to "ON"
- Turn the choke lever to "1"
- Turn the engine switch to "ON"
- Pull the recoil starter slowly until you have slight tension. Then pull vigorously.
- Open the choke again.



Safety devices

- Press to reset the AC or DC protector.
- Reduce the load within the rated output
- If the AC or DC protector (if equipped) is turned off.




Range of application

	Team		450	Power factor
AC		50 Hz	450W AC	1
		60 Hz	550W AC	
		50 Hz	330W AC	0.7 - 0.8
		60 Hz	410W AC	
		50 Hz	390W AC	0.7 - 0.95
		60 Hz	480W AC	


Stop the engine

Before stopping, turn off all electrical appliances.

- 1. Turn the engine switch to "stop"
- 2. Turn the fuel lever to the "OFF" position.



Connection



- 1. Wind the cord 2-3 turns around the handle.
- 2. Start the engine
- 3. Connect it to the AC outlet

Battery charger (if equipped)

Connect the red wire (supplied as an accessory) to the positive pole (+) and black to the negative pole (-)

4. Maintenance and storage




Before performing maintenance, the machine must be placed in maintenance mode. Turn off the motor.

After servicing, make sure all guards and safety features are put back in place. Failure to follow this warning can result in serious injury.

ITEM	Observations	Every 50h or every month	Every 150h or every 3 months	
	Remove the carbon, adjust the			
Spark plug	gap	X		
	Replace if necessary			
Air filter	Clean up.		x	
All liller	Replace if necessary			
Fuel filter	Clean up.		V	
ruei iiilei	Replace if necessary		X	


Fuel filter

- Clean with solvent
- Clean up
- Insert




Spark plug

- Remove the spark plug
- Remove carbon deposits
- · Check for discoloration.
- Check the spark plug gap: 0.7 ~ 0.8mm (0.028 ~ 0.031)



Air filter



Never run the engine without the air filter.

- 1. Air filter
- 2. Wash with degreaser.
- 3. Engine oil (SAE30)
- 4. Drain the filter and allow it to dry before replacing it.


5. Troubleshooting

The motor does not start

- Check the fuel. (Fuel switch "ON").
- Engine switch "ON"
- · Check the spark plug

If the engine still does not start, check:

- Clogged fuel tap
- Air filter clogging
- Consult your dealer



6. Environment



Protect the environment. Recycle the oil used by this machine by taking it to a recycling center. Do not pour used oil into drains, land, rivers, lakes or seas.



Dispose of your machine in an environmentally friendly way. We must not dispose of machines together with household garbage. Its plastic and metal components can be classified according to their nature and recycled.

The materials used to pack this machine are recyclable. Please do not dispose of the packaging in the household waste. Dispose of these packages at an official waste collection point.